

Table 1

Soil Boring Characteristics

Site 16 Remedial Investigation Report
PPG Industries, Inc.
Jersey City, New Jersey

Page 1 of 5

| SOIL BORING | NORTHING | EASTING | ELEVATION (feet) | CORRESPONDING MONITORING WELL | END OF BORING (feet below ground surface) | TOP OF SAMPLING DEPTH (feet below ground surface) | |
|-------------|-----------|-----------|------------------|-------------------------------|-------------------------------------------|------------------------------------------------------|-------------------------------------------|
| 016_C007 | 676889.04 | 607496.60 | N/A | | 30.00 | 0.6, 5.0, 7.5, 10.7, 15.0, 20.0, 25.0 | |
| 016_C009 | 676792.03 | 607421.04 | 9.13 | | 30.00 | 0.5, 5.0, 7.6, 11.7, 15.7, 23.5 | |
| 016_C011 | 676666.70 | 607325.93 | 9.35 | | 30.00 | 0.5, 5.0, 10.7, 15.0, 20.0, 25.3 | |
| 016_C013 | 676592.56 | 607273.76 | 9.67 | | 30.00 | 0.5, 3.1, 7.5, 10.2, 15.0, 20.0, 25.0 | |
| 016_C016 | 676481.78 | 607184.19 | 9.96 | | 9.00 * | 0.6, 5.0 | |
| 016_C017 | 676403.82 | 607124.56 | 10.08 | | 9.00 * | 0.4, 5.0 | |
| 016_D005 | 676937.04 | 607608.68 | 5.98 | | 30.00 | 0.0, 1.2, 1.7, 2.5, 3.0, 7.0, 10.0, 14.0, 17.8, 25.0 | |
| 016_D005A | 676898.02 | 607578.80 | 8.87 | | 30.00 | 0.4, 5.0, 11.2, 15.0, 20.0, 25.0 | |
| 016_D007 | 676845.66 | 607538.37 | 8.90 | | 30.00 | 0.4, 5.0, 12.2, 16.0, 20.0, 25.0 | |
| 016_D008 | 676783.23 | 607489.80 | 9.12 | | 30.00 | 0.4, 5.0, 7.2, 11.9, 16.0, 20.0, 22.8, | |
| 016_D010 | 676681.42 | 607449.94 | 9.21 | | 27.00 * | 0.4, 2.5, 3.0, 3.5, 5.0, 5.7, 10.7, 15.0, 20.0, 25.0 | |
| 016_D012 | 676602.97 | 607352.75 | 9.36 | | 18.5 * | 0.4, 2.6, 3.1, 5.0, 10.0, 12.5, 16.5 | |
| 016_D014 | 676507.33 | 607279.60 | 9.70 | | 30.00 | 0.5, 1.4, 1.9, 2.4, 6.5, 10.0, 16.5, 21.0, 25.0 | |
| 016_D016 | 676411.86 | 607206.47 | 9.95 | | 2.00 * | 0.40 | |
| 016_D018 | 676316.58 | 607133.38 | 9.96 | | 14.00 * | 0.4, 5.0, 10.0 | |
| 016_E005 | 676856.29 | 607623.85 | 9.01 | | 30.00 | 0.4, 5.0, 8.1, 11.3, 15.5, 20.0, 25.0 | |
| 016_E007 | 676809.97 | 607586.97 | 9.02 | | 25.00 | 0.5, 5.0, 12.5, 16.5, 20.0, 23.5 | |
| 016_E009 | 676722.32 | 607520.03 | N/A | | 016_MW04 | 30.00 | 0.5, 3.5, 7.0, 11.2, 15.5, 20.0, 25.0 |
| 016_E011 | 676595.27 | 607422.07 | 9.43 | | | 30.00 | 0.7, 2.6, 3.1, 5.0, 7.2, 12.2, 20.0, 25.0 |

Table 1

Soil Boring Characteristics

Site 16 Remedial Investigation Report
PPG Industries, Inc.
Jersey City, New Jersey

| SOIL BORING | NORTHING | EASTING | ELEVATION (feet) | CORRESPONDING MONITORING WELL | END OF BORING (feet below ground surface) | TOP OF SAMPLING DEPTH (feet below ground surface) |
|-------------|-----------|-----------|------------------|-------------------------------|-------------------------------------------|---------------------------------------------------|
| 016_E013 | 676521.40 | 607353.72 | 9.67 | | 30.00 | 0.5, 5.0, 7.8, 11.5, 16.0, 20.0 |
| 016_E015 | 676420.01 | 607288.50 | 9.90 | | 12.00* | 0.5, 5.0, 10.0 |
| 016_E017 | 676324.75 | 607215.25 | 9.99 | | 8.00 * | 0.5, 5.0 |
| 016_E019 | 676253.68 | 607160.93 | N/A | | 016_MW01 | 12.5 * |
| 016_F005 | 676858.03 | 607699.23 | 6.32 | | 30.00 | 0.0, 1.1, 1.6, 2.1, 5.0, 10.0, 14.0, 20.0, 23.0 |
| 016_F005A | 676820.72 | 607670.58 | 8.97 | | 25.00 | 0.4, 5.0, 12.2, 16.0, 20.0, 23.1 |
| 016_F007 | 676770.70 | 607631.92 | 9.08 | | 25.00 | 0.6, 5.0, 11.5, 15.5, 20.0, 24.0 |
| 016_F008 | 676710.45 | 607585.42 | 9.43 | | 24.00 | 0.4, 5.0, 7.8, 11.2, 15.6, 20.0, 23.2 |
| 016_F010 | 676633.34 | 607498.55 | 9.34 | | 30.00 | 0.4, 2.0, 2.5, 5.0, 7.8, 12.3, 16.0, 20.0, 25.0 |
| 016_F012 | 676529.04 | 607436.63 | 9.61 | | 30.00 | 0.5, 2.0, 3.0, 5.1, 7.4, 11.9, 20.0, 25.0 |
| 016_F014 | 676428.64 | 607369.97 | N/A | | 30.00 | 0.4, 1.8, 2.3, 3.1, 7.0, 10.7, 15.5, 20.0, 25.0 |
| 016_F016 | 676355.37 | 607312.30 | 9.89 | | 8.00 * | 0.5, 5.0 |
| 016_G005 | 676781.42 | 607716.05 | N/A | | 30.00 | 0.5, 3.5, 7.4, 10.5, 15.0, 20.0 |
| 016_G007 | 676736.28 | 607680.35 | 9.19 | | 24.00 | 0.4, 5.0, 8.1, 12.2, 16.0, 20.0, 23.1 |
| 016_G008 | 676673.17 | 607632.69 | 9.41 | | 30.00 | 0.5, 5.0, 6.0, 7.7, 11.2, 15.5, 20.0, 25.0 |
| 016_G009 | 676642.83 | 607609.66 | 9.43 | | 30.00 | 1.1, 5.0, 10.0, 12.5, 16.5, 20.5, 25.0 |
| 016_G010 | 676576.93 | 607565.17 | 9.29 | | 30.00 | 0.6, 3.0, 3.9, 5.0, 7.9, 12.9, 17.0, 21.0, 25.0 |
| 016_G011 | 676522.53 | 607516.45 | 9.29 | 30.00 | 0.7, 2.3, 3.6, 5.0, 11.7, 16.0, 20.0 | |

Table 1

Soil Boring Characteristics

Site 16 Remedial Investigation Report
PPG Industries, Inc.
Jersey City, New Jersey

| SOIL BORING | NORTHING | EASTING | ELEVATION (feet) | CORRESPONDING MONITORING WELL | END OF BORING (feet below ground surface) | TOP OF SAMPLING DEPTH (feet below ground surface) | |
|-------------|-----------|-----------|------------------|-------------------------------|-------------------------------------------------|---------------------------------------------------|-----------------------------------------|
| 016_G012 | 676486.95 | 607485.47 | 9.48 | | 30.00 | 0.6, 2.9, 3.4, 5.0, 7.8, 13.2, 17.0, 21.0 | |
| 016_G013 | 676438.88 | 607449.08 | 9.45 | | 30.00 | 0.6, 2.7, 3.2, 3.8, 7.0, 12.8, 17.0, 21.0, 25.0 | |
| 016_G014 | 676391.51 | 607412.21 | 9.63 | | 30.00 | 0.5, 2.0, 2.5, 3.2, 7.0, 10.0, 13.3, 21.0, 25.0 | |
| 016_G015 | 676343.65 | 607375.78 | 9.77 | | 016_MW02 | 12.00 * | 0.6, 10.0 |
| 016_G016 | 676295.64 | 607339.68 | 9.86 | | 10.00 * | 0.6, 5.0 | |
| 016_G017 | 676245.09 | 607306.77 | 9.81 | | 15.00 * | 0.6, 1.1, 5.8, 10.0 | |
| 016_G_20 | 676834.34 | 607278.82 | 11.83 | | 35.00 | 0.0, 5.0 | |
| 016_H005 | 676744.86 | 607763.65 | 9.27 | | 24.00 | 0.5, 3.2, 5.0, 5.5, 6.0, 11.5, 15.5, 23.0 | |
| 016_H007 | 676701.27 | 607730.13 | 9.37 | | 30.00 | 0.5, 3.5, 7.5, 11.5, 15.0, 20.0, 23.3, 27.5 | |
| 016_H008 | 676626.44 | 607690.86 | 9.46 | | 24.00 | 0.4, 2.2, 2.7, 5.0, 8.0, 11.3, 15.5, 20.0, 23.3 | |
| 016_H009 | 676580.29 | 607652.50 | N/A | | 30.00 | 0.4, 5.0, 10.0, 20.0, 25.0 | |
| 016_H010 | 676532.62 | 607615.93 | 9.24 | | 30.00 | 0.5, 2.4, 2.9, 3.4, 7.5, 12.2, 16.0, 20.0, 25.0 | |
| 016_H011 | 676487.64 | 607562.43 | 9.39 | | 016_MW03 | 30.00 | 0.6, 1.1, 1.6, 2.2, 2.7, 3.2, 8.0, 25.0 |
| 016_H012 | 676445.22 | 607533.51 | N/A | 30.00 | 0.5, 2.2, 2.7, 3.3, 6.5, 12.2, 16.0, 20.0, 25.0 | | |
| 016_H013 | 676397.53 | 607497.00 | 9.41 | 30.00 | 0.6, 2.3, 2.8, 3.1, 7.0, 12.0, 20.0, 25.0 | | |
| 016_H014 | 676355.79 | 607462.50 | 9.56 | 30.00 | 0.4, 5.0, 11.1, 15.0, 20.0, 25.0 | | |
| 016_H016 | 676242.01 | 607368.54 | N/A | 5.3 * | 0.0**, 0.6, 1.1, 5.0 | | |
| 016_I005 | 676714.80 | 607816.06 | 7.75 | 30.00 | 1.0, 1.8, 6.8, 10.8, 15.0, 20.0, 25.0 | | |

Table 1

Soil Boring Characteristics

**Site 16 Remedial Investigation Report
PPG Industries, Inc.
Jersey City, New Jersey**

| SOIL BORING | NORTHING | EASTING | ELEVATION (feet) | CORRESPONDING MONITORING WELL | END OF BORING (feet below ground surface) | TOP OF SAMPLING DEPTH (feet below ground surface) |
|--------------------|-----------------|----------------|-------------------------|--------------------------------------|--------------------------------------------------|----------------------------------------------------------|
| 016_I006 | 676691.32 | 607798.14 | 7.79 | 016_MW05 | 30.00 | 0.6, 3.4, 7.5, 10.7, 15.0, 20.0, 25.0 |
| 016_I006A | 676676.18 | 607761.26 | 6.93 | | 30.00 | 0.7, 2.9, 7.7, 11.5, 15.5, 20.0 |
| 016_I009 | 676548.89 | 607688.48 | 8.37 | | 30.00 | 0.0, 5.0, 11.5, 15.5, 20.0, 25.0 |
| 016_I011 | 676461.60 | 607595.48 | 9.41 | | 30.00 | 0.5, 2.8, 3.3, 3.5, 7.5, 11.5, 20.0, 25.0 |
| 016_I012 | 676402.33 | 607555.99 | 9.56 | | 30.00 | 0.4, 2.0, 2.5, 3.1, 7.0, 12.3, 20.0, 25.0 |
| 016_I013 | 676368.08 | 607530.66 | 9.58 | | 19.00 * | 0.7, 1.2, 1.7, 2.2, 3.0, 3.7, 7.5, 11.9 |
| 016_I014 | 676322.32 | 607491.93 | 9.61 | | 30.00 | 0.5, 1.5, 2.0, 2.5, 5.0, 7.8, 10.8, 15.0, 20.0, 25.0 |
| 016_I015 | 676273.42 | 607456.71 | 9.75 | | 30.00 | 0.0**, 0.7, 0.9, 5.0, 7.4, 11.5, 20.0, 25.0 |
| 016_J005 | 676699.88 | 607880.47 | 7.71 | | 30.00 | 0.0, 2.2, 2.7, 5.0, 5.9, 10.0, 15.0, 20.0 |
| 016_J014 | 676270.76 | 607550.85 | 6.83 | | 24.00 | 0.7, 5.0, 15.0, 20.0, 23.3 |
| 016_J019 | 676244.12 | 607540.45 | 6.83 | | 25.00 | 0.0, 5.0, 10.0, 15 |
| 016_J020 | 676220.96 | 607475.56 | 10.74 | | | 0.0, 3.5 |
| 016_K007 | 676564.51 | 607852.08 | 7.47 | 016_MW06 | 30.00 | 0.0, 2.3, 2.8, 3.3, 3.8, 5.0, 11.4, 15.5, 20.0, 25.0 |
| 016_K009 | 676469.06 | 607776.85 | 7.72 | | 30.00 | 0.0, 1.4, 1.9, 2.4, 7.0, 10.7, 16.0, 20.0, 25.0 |
| 016_K013 | 676278.99 | 607632.81 | 8.58 | 016_MW08 | 30.00 | 1.2, 2.1, 6.0, 11.3, 20.0, 25.0 |
| 016_K_013a | 676273.30 | 607649.96 | 8.63 | 016_MW10 | 30.00 | 0.0, 2.0, 5.0, 10.0, 15.5, 19.5, 24.0 |
| 016_L005 | 676620.87 | 607971.17 | 7.32 | | 30.00 | 0.0, 5.0, 10.7, 15.0, 20.0, 25.0 |

Table 1

Soil Boring Characteristics

**Site 16 Remedial Investigation Report
PPG Industries, Inc.
Jersey City, New Jersey**

Page 5 of 5

| SOIL BORING | NORTHING | EASTING | ELEVATION (feet) | CORRESPONDING MONITORING WELL | END OF BORING (feet below ground surface) | TOP OF SAMPLING DEPTH (feet below ground surface) |
|--------------------|-----------------|----------------|-------------------------|--------------------------------------|--------------------------------------------------|----------------------------------------------------------|
| 016B-L010 | 676382.45 | 607788.03 | 8.78 | 016_MW07 | 30.00 | 0.0, 1.6, 2.1, 2.6, 5.0, 10.0, 15.0, 20.0, 25.0 |
| 016_L013 | 676286.16 | 607711.7 | 9.18 | 016_MW11 | 20.00 | 0.0, 5.0, 10.0, 15.5, 20.0, 24.0 |
| 016_L020 | 676200.94 | 607673.2 | N/A | | 20.00 | 0.0, 0.5, 1.0, 5.0, 10.0, 15.0, 19.0 |

* = Refusal

** = Core Sample

N/A = Not Available